RAW SEQUENCE LISTING
ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: ___10 |049,626A___

Source: ___PCT 10___

Date Processed by STIC: ___7|17|02___

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:
1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY
FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.
PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax)
PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER VERSION 3.1 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:
          http://www.uspto.gov/web/offices/pac/checker

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.
Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.
Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<http://www.uspto.gov/ebc/efs/downloads/documents.htm> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
3. Hand Carry directly to:
   U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7th Floor, Examiner Name, Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202
          Or
   U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 01/29/2002

RAW SEQUENCE LISTING   DATE: 07/17/2002   *Formatting error.*
PATENT APPLICATION: US/10/049,626A   TIME: 09:04:52   *Please contact Robert*
                                                          Wix at 703-308-4216 or
Input Set : A:\EP.txt   *703-306-4119 for*
Output Set: N:\CRF3\07172002\J049626A.raw   *assistance.*

```
       1 <110> APPLICANT: MARUYAMA, Akihiko ISHIWATA,
W-->   2 <120> TITLE OF INVENTION: Method of
W-->   3        Detecting and Quantitating Microorganism Having Specific Function and Its Gene
W-->   4 <130> FILE REFERENCE: P21989<140>
W-->   5 <140> CURRENT APPLICATION NUMBER: US/10/049,626A
C-->   5 <141> CURRENT FILING DATE: 2002-02-22
W-->   0 <160> NUMBER OF SEQ ID NOS:
       6 <170> SOFTWARE: PatentIn version 3.0<210> 1<211> 1532<212> DNA<213> Cycloclasticus
```

ERRORED SEQUENCES

```
      61 <210> SEQ ID NO: 2<211> 1528<212> DNA<213> Cycloclasticus pugetii<400> 2
W-->  62 <211> LENGTH:
W-->  62 <212> TYPE:
W-->  62 <213> ORGANISM:
E-->  62 <400> SEQUENCE:
      62 agagtttgat catggctcag attgaacgct ggcggcatgc ctaacacatg caagtcgaac    60
      64 ggaaacgatg ctagcttgct agcaggcgtc gagtggcgga cgggtgagta atgcatagga   120
      66 atctacctaa tagtgtggga caacctggtg aaaaccaggc taataccgca taatccctac   180
      68 ggggcaaagc aggggacctt cgggccttgc gctaatagat gagcctatgt cggattagct   240
      70 agttggtgag gtaatggctc accaaggcaa cgatccgtag ctggtttgag aggatgatca   300
      72 gccacactgg gactgagaca cggcccagac tcctacggga ggcagcagtg gggaatattg   360
      74 cacaatggag gaaactctga tgcagcaatg ccgcgtgtgt gaagaaggcc ttagggttgt   420
      76 aaagcacttt cagtagggag gaaaagttta aggttaataa ccttaggccc tgacgttacc   480
      78 tacagaagaa gcaccggcta actccgtgcc acagccggcg gtaatacgga gggtgcaagc   540
      80 gttaatcgga attactgggc gtaaagcgcg cgtaggcggt taaacaagtc agatgtgaaa   600
      82 gccccgggct caacctggga actgcatttg aaactgttta gctagagtgt ggtagaggag   660
      84 agtggaattt caggtgtagc ggtgaaatgc gtagatatct gaaggaacac cagtggcgaa   720
      86 ggcggctctc tggaccaaca ctgacgctga ggtgcgaaag cgtgggtagc aaacgggatt   780
      88 agataccccg gtagtccacg ccgtaaacga tgtcaactga ctgttgggcg ggtttccgct   840
      90 tagtggtgca staacgcaat aagttgaccg cctggggagt acggccgcaa ggctaaaact   900
      92 caaatgaatt gacgggggcc cgcacaagcg gtggagcatg tggtttaatt cgatgcaacg   960
      94 cgaagaacct tacctaccct tgacatacag agaactttct agagatagat tggtgccttc  1020
      96 gggaactctg atacaggtgc tgcatggctg tcgtcagctc gtgtcgtgag atgttgggtt  1080
      98 aagtcccgta acgagcgcaa cccttatcct tagttgctac catttagttg ggcactctaa  1140
     100 ggagactgcc ggtgataaac cggaggaagg tggggacgac gtcaagtcat catggccctt  1200
     102 atgggtaggg ctacacacgt gctacaatgg ccggtacaga gggccgcaaa ctcgcgagag  1260
     104 taagctaatc ccttaaagcc ggtcctagtc cggattgcag tctgcaactc gactgcatga  1320
     106 agctggaatc gctagtaatc gcggatcaga atgccgcggt gaattcgttc ccgggccttg  1380
     108 tacacaccgc ccgtcacacc atgggagtgg gttgcaaaag aagtgggtag ctaacttcg   1440
     110 ggaggccgct caccactttg tgattcatga ctggggtgaa gtcgtaacaa ggtagcccta  1500
     112 ggggaacctg gggctggatc acctcctt                                     1528
```

```
    115 <210> SEQ ID NO: 3<211> 1529<212> DNA<213> Cycloclasticus pugetii<220><221> n<222>
    116 <223> OTHER INFORMATION: n = a, c, g, t (all four bases)
W--> 118 <211> LENGTH:
W--> 118 <212> TYPE:
W--> 118 <213> ORGANISM:
E--> 118 <400> SEQUENCE: 3
    119 agagtttgat catggctcag attgaacgct ggcggcatgc ctaacacatg caagtcgaac      60
    121 ggaaacgatg ctagcttgct agcaggcgtc gagtggcgga cgggtgagta atgcatagga     120
    123 atctacctaa cagtggggga caacctggtg aaaaccagsc taataccgca taatccctaa     180
    125 cgggcaaagc aggggacctt cgggccttgc gctaatagat gagcctatgt cggattagct     240
    127 agttggtgag gtaatggccc accaaggcaa cgatccgtag ctggtttgag aggatgatca     300
    129 gccacactgg gactgagaca cggcccagac tcctacggga ggcagcagtg gggaatattg     360
    131 cacaatggag gaaactctga tgcagcaatg ccgcgtgtgt gaagaaggcc ttagggttgt     420
    133 aaagcacttt cagtagggag gaaaagttta aggttaataa ccttaggccc tgacgttacc     480
    135 tacagaagaa gcaccggcta actccgtgcc agcagccgcg gtaatacgga ggggtgcaag     540
    137 cgttaatcgg aattactggg cgtaaagcgc gcgtaggcgg ttaaacaagt cagatgtgaa     600
    139 agccccgggc tcaacctggg aactgcattt gaaactgttt agctagagtg tggtagagga     660
    141 gagtggaatt tcaggtgtag cggtgaaatg cgtagatatc tgaaggaaca ccagtggcga     720
    143 aggcggctct ctggaccaac actgacgctg aggtgcgaaa gcgtgggtag caaacgggat     780
    145 tagatacccc ggtagtccac gccgtaaacg atgtcaacta actgttgggc gggtttccgc     840
    147 ttagtggtgc astaacgcaa taagttgacc gcctggggag tacggccgca aggctaaaac     900
    149 tcaaatgaat tgacggggc ccgcacaagc ggtggagcat gtggtttaat tcgatgcaac     960
    151 gcgaagaacc ttacctaccc ttgacataca gagaactttc tagagataga ttggtgcctt    1020
    153 cgggaactct gatacaggtg ctgcatggct gtcgtcagct cgtgtcgtga gatgttgggt    1080
    155 taagtcccgt aacgagcgcn nycttatcct tagttgctac catttagttg ggcactctaa    1140
    157 ggagactgcc ggtgataaac cggaggaagg tggggacgac gtcaagtcat catggccctt    1200
    159 atgggtaggg ctacacacgt gctacaatgg ccggtacaga gggccgcaaa ctcgcgagag    1260
    161 taagctaatc ccttaaagcc ggtcctagtc cggattgcag tctgcaactc gactgcatga    1320
    163 agctggaatc gctagtaatc gcggatcaga atgccgcggt gaattcgttc ccgggccttg    1380
    165 tacacaccgs ccgtcacacc atgggagtgg gttgcaaaag aagtgggtag ctaaccttc    1440
    167 gggaggccgc tcaccacttt gtgattcatg actggggtga agtcgtaaca aggtagccct    1500
                                                                         1529
    169 aggggaacct ggggctggat cacctccctt
    172 <210> SEQ ID NO: 4<211> 1526<212> DNA<213> Cycloclasticus pugetii<220><221> n<222>
    173 <223> OTHER INFORMATION: n = a, c, g, t (all four bases)
W--> 175 <211> LENGTH:
W--> 175 <212> TYPE:
W--> 175 <213> ORGANISM:
E--> 175 <400> SEQUENCE: 4
    176 agagtttgat catggctcag attgaacgct ggcggcatgc taacacatgc aagtcgaacg      60
    178 gaaacgatgc tagcttgcta caggcgtcga gtggcggacg ggtgagtaat gcataggaat     120
    180 ctacctaata gtgggggaca acctggtgaa aaccagctaa taccgcataa tccctacggg     180
    182 gcaaagcagg ggaccttcgg gccttgcgct aatagatgag cctatgtcgg attagctagt     240
    184 tggtgaggta atggctcacc aaggcaacga tccgtagctg gtttgagagg atgatcagcc     300
    186 acactgggac tgagacacgg cccagactcc tacgggaggc agcagtgggg aatattgcac     360
    188 aatggaggaa actctgatgc agcaatgccg cgtgtgtgaa gaaggcctta gggttgtaaa     420
    190 gcactttcag taggaggaa aagtttaagg ttaataacct taggccctga cgttacctac     480
    192 agaagaagca ccggctaact ccgtgccagc agccgcggta atacgagggg tgcaagcgtt     540
    194 aatcggaatt actgggcgta aagcgcgcg taggcggtta aacaagtcag atgtgaaagc     600
    196 cccgggctca acttgggaac tgcatttgaa actgtttagc tagagtgtgg tagaggagag     660
```

```
198 tggaatttca ggtgtagcgg tgaaatgcgt agatatctga aggaacacca gtggcgaagg   720
200 cggctctctg gaccaacact gacgctgagg tgcgaaagcg tgggtagcaa acgggattag   780
202 ataccccggt agtccacgcc gtaaacgatg tcaactaact gttgggcggg tttccgctta   840
204 gtggtgcant aacgcaataa gttgaccgcc tggggagtac ggccgcaagg ctaaaactca   900
206 aatgaattga cgggggcccg cacaagcggt ggagcatgtg gtttaattcg atgcaacgcg   960
208 aagaacctta cctacccttg acatacagag aactttctag agatagattg gtgcttcggg  1020
210 aactctgata caggtgctgc atggctgtcg tcagctcgtg tcgtgagatg ttgggttaag  1080
212 tcccgtaacg agcgcaaccc ttatccttag ttgctaccat ttagttgggc actctaagga  1140
214 gactgccggt gataaaccgg aggaaggtgg ggacgacgtc aagtcatcat ggcccttatg  1200
216 ggtagggcta cacacgtgct acaatggccg gtacagaggg ccgcaaactc gcgagagtaa  1260
218 gctaatccct taaagccggt cctagtccgg attgcagtct gcaactcgac tgcatgaagc  1320
220 tggaatcgct agtaatcgcg gatcagaatg ccgcggtgaa ttcgttcccg ggccttgtac  1380
222 acaccgcccg tcacaccatg ggagtgggtt gcaaaagaag tgggtaggct aacttcggga  1440
224 ggccgctcac cactttgtga ttcatgactg gggtgaagtc gtaacaaggt agccctaggg  1500
226 gaacctgggg ctggatcacc tcctta                                       1526
```

VERIFICATION SUMMARY
PATENT APPLICATION: **US/10/049,626A**

DATE: 07/17/2002
TIME: 09:04:53

Input Set : **A:\EP.txt**
Output Set: **N:\CRF3\07172002\J049626A.raw**

```
L:2 M:283 W: Missing Blank Line separator, <120> field identifier
L:4 M:283 W: Missing Blank Line separator, <130> field identifier
L:5 M:282 W: Numeric Field Identifier Missing, <140> CURRENT APPLICATION NUMBER: is Added.
L:5 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:0 M:282 W: Numeric Field Identifier Missing, <160> is required.
L:7 M:282 W: Numeric Field Identifier Missing, <210> is required.
L:7 M:282 W: Numeric Field Identifier Missing, <211> is required.
L:7 M:282 W: Numeric Field Identifier Missing, <212> is required.
L:7 M:282 W: Numeric Field Identifier Missing, <213> is required.
L:7 M:212 E: (34) Invalid or duplicate Sequence ID Number, SEQ ID NO
L:7 M:283 W: Missing Blank Line separator, <400> field identifier
L:62 M:282 W: Numeric Field Identifier Missing, <211> is required.
L:62 M:282 W: Numeric Field Identifier Missing, <212> is required.
L:62 M:282 W: Numeric Field Identifier Missing, <213> is required.
L:62 M:200 E: Mandatory Header Field missing, <400> is required.
L:118 M:282 W: Numeric Field Identifier Missing, <211> is required.
L:118 M:282 W: Numeric Field Identifier Missing, <212> is required.
L:118 M:282 W: Numeric Field Identifier Missing, <213> is required.
L:118 M:200 E: Mandatory Header Field missing, <220> not found for SEQ ID#:3
L:175 M:282 W: Numeric Field Identifier Missing, <211> is required.
L:175 M:282 W: Numeric Field Identifier Missing, <212> is required.
L:175 M:282 W: Numeric Field Identifier Missing, <213> is required.
L:175 M:200 E: Mandatory Header Field missing, <220> not found for SEQ ID#:4
L:231 M:282 W: Numeric Field Identifier Missing, <211> is required.
L:231 M:282 W: Numeric Field Identifier Missing, <212> is required.
L:231 M:282 W: Numeric Field Identifier Missing, <213> is required.
L:237 M:282 W: Numeric Field Identifier Missing, <211> is required.
L:237 M:282 W: Numeric Field Identifier Missing, <212> is required.
L:237 M:282 W: Numeric Field Identifier Missing, <213> is required.
L:243 M:282 W: Numeric Field Identifier Missing, <211> is required.
L:243 M:282 W: Numeric Field Identifier Missing, <212> is required.
L:243 M:282 W: Numeric Field Identifier Missing, <213> is required.
L:249 M:282 W: Numeric Field Identifier Missing, <211> is required.
L:249 M:282 W: Numeric Field Identifier Missing, <212> is required.
L:249 M:282 W: Numeric Field Identifier Missing, <213> is required.
L:255 M:282 W: Numeric Field Identifier Missing, <211> is required.
L:255 M:282 W: Numeric Field Identifier Missing, <212> is required.
L:255 M:282 W: Numeric Field Identifier Missing, <213> is required.
L:0 M:203 E: No. of Seq. differs, <160> Number Of Sequences:Input (0) Counted (8)
```